WHAT IS CLAIMED IS:

1.   A method of displaying an image on a computer screen, the method comprising:

       describing at least a portion of a base image as a path;

       performing a non-affine transform on the path to produce a transformed path; and

       rendering the transformed path onto the computer screen.

2.   The method of claim 1 wherein performing a non-affine transform comprises performing a bilinear transform.

3.   The method of claim 2 wherein describing the portion of the base image as a path comprises describing the portion using a function of order n.

4.   The method of claim 3 wherein performing a bilinear transform produces a transformed function of order 2n.

5.   The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order one.

6.   The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order three.

7.   The method of claim 1 wherein performing a non-affine transform comprises performing a perspective transform.

8.   The method of claim 7 wherein performing a perspective transform produces a rational function of order n.

9.   The method of claim 1 wherein rendering the transformed path comprises approximating the transformed path as a series of lines and rendering each line in the series of lines.

10.   The method of claim 9 wherein producing a transformed path comprises producing a path of the form $\sum_{i=0}^{n} B_i^n(t)\mathbf{q}_i$ where t is between zero and one and wherein approximating the transformed path as a series of lines comprises:

  converting the transformed path from a function that describes an entire curve to a function of the form $\sum_{j=0}^{n} B_j^n(t)\tilde{\mathbf{q}}_j$ that describes a segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=0}^{j} B_i^j(c)\mathbf{q}_i$ where c is a fixed fraction; and

  determining if the segment of the curve can be replaced by a straight line based

on the function that describes the segment.

11. The method of claim 10 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} B_i''(t)\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} B_j''(t)\widetilde{\mathbf{q}}_j$ that describes a larger segment of the curve by setting each $\widetilde{\mathbf{q}}_j = \sum_{i=0}^{j} B_i^j(d)\mathbf{q}_i$ where d is a fixed value that is greater than one; and

determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.

12. The method of claim 10 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} B_i''(t)\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} B_j''(t)\widetilde{\mathbf{q}}_j$

that describes a neighboring segment of the curve by setting each

$$\widetilde{\mathbf{q}}_j = \sum_{i=n-j}^{n} (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i \; ; \; \text{and}$$

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

13. The method of claim 9 wherein producing a transformed path comprises producing a path of the form $\mathbf{r} = \sum_{i=0}^{n} \mathbf{a}_i t^i$ where t is between zero and one and wherein approximating the transformed path as a series of lines comprises:

converting the transformed path from a function that describes an entire curve to a function of the form $\sum_{j=0}^{n} \widetilde{a}_j t^j$ that describes a segment of the curve by setting each $\widetilde{a}_j = c^j a_j$ where c is a fixed fraction; and

determining if the segment of the curve can be replaced by a straight line based on the function that describes the segment.

14.   The method of claim 13 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} a_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes a larger segment of the curve by setting each $\tilde{a}_j = d^j a_j$ where d is a fixed value that is greater than one; and

determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.

15.   The method of claim 13 wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} a_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes a neighboring segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$; and

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

16. The method of claim 1 wherein performing a non-affine transform and rendering the transformed path comprise:

issuing a call to a server process while passing parameters comprising the path of the base image and a type of non-affine transform; and

processing the call in the server process by performing the transform and rendering the transformed path.

17. The method of claim 16 wherein issuing a call to a server process further comprises passing parameters further comprising corner points for a quadrilateral that defines a transform space.

18. The method of claim 17 wherein issuing a call to a server process further comprises passing parameters further comprising a pen style to be used during rendering.

19. The method of claim 17 wherein passing a path comprises passing a list of paths.

20.   The method of claim 19 wherein issuing a call to a server process further comprises passing parameters further comprising a brush style for filling a space between at least two rendered transformed paths.

21.   A computer-readable medium having computer-executable components for performing steps comprising:

    generating a function to describe an image
        for a computer screen;
    transforming the function using a non-
        affine transform to produce a
        transformed function; and
    converting the transformed function into an
        image on the computer screen.

22.   The computer-readable medium of claim 21 wherein transforming the function comprises transforming a function representing a smooth curve.

23.   The computer-readable medium of claim 21 wherein transforming the function comprises using a bilinear transform.

24.   The computer-readable medium of claim 23 wherein generating a function to describe an image comprises generating a function of order n and wherein transforming the function produces a transformed function of order 2n.

25.   The computer-readable medium of claim 21 wherein transforming the function comprises using a perspective transform.

26.   The computer-readable medium of claim 21 wherein converting the transformed function into an image comprises converting the transformed function into a series of lines and converting each line into an image.

27.   The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form

$$\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_{i}$$ that describes a segment of a curve represented by the transform function into a function of the form $$\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\widetilde{\mathbf{q}}_{j}$$ that describes a different sized segment of the curve by setting each

$$\widetilde{\mathbf{q}}_{j}=\sum_{i=0}^{j}\frac{j!}{i!(j-i)!}c^{i}(1-c)^{j-i}\mathbf{q}_{i}$$ where c is a fixed value; and

determining if the different sized segment of the curve can be replaced by a

straight line based on the function that describes the segment.

28. The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_{i}$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\widetilde{\mathbf{q}}_{j}$ that describes an adjoining segment of the curve by setting each $\widetilde{\mathbf{q}}_{j}=\sum_{i=n-j}^{n}(-1)^{n-i}\binom{j}{n-i}2^{j-(n-i)}\mathbf{q}_{i}$; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment.

29. The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n}\mathbf{a}_{i}t^{i}$ that describes a segment of a curve represented by the transform function

into a function of the form $\sum_{j=0}^{n}\tilde{a}_j t^j$ that describes a different sized segment of the curve by setting each $\tilde{a}_j = c^j a_j$ where c is a fixed value; and

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment.

30. The computer-readable medium of claim 26 wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n}a_i t^i$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n}\tilde{a}_j t^j$ that describes an adjoining segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n}\frac{i!}{j!(i-j)!}a_i$; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment.

31.   A method for rendering a curve on a computer screen comprising:

converting a function of the form

$$\sum_{i=0}^{n}\frac{n!}{i!\,(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_{i}$$ that describes a

segment of the curve into a function

of the form $\sum_{j=0}^{n}\frac{n!}{j!\,(n-j)!}t^{j}(1-t)^{n-j}\widetilde{\mathbf{q}}_{j}$ that

describes a different sized segment of the curve by setting each

$\widetilde{\mathbf{q}}_{j}=\sum_{i=0}^{j}\frac{j!}{i!\,(j-i)!}c^{i}(1-c)^{j-i}\mathbf{q}_{i}$ where c is a

fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

32.   A method for rendering a curve on a computer screen comprising:

converting a function of the form

$$\sum_{i=0}^{n}\frac{n!}{i!\,(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_{i}$$ that describes a

segment of the curve into a function

of the form $\sum_{j=0}^{n}\frac{n!}{j!\,(n-j)!}t^j(1-t)^{n-j}\tilde{\mathbf{q}}_j$ that describes an adjacent segment of the curve by setting each

$$\tilde{\mathbf{q}}_j = \sum_{i=n-j}^{n}(-1)^{n-i}\binom{j}{n-i}2^{j-(n-i)}\mathbf{q}_i ;$$

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

33.   A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n}\mathbf{a}_it^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\tilde{a}_jt^j$ that describes a different sized segment of the curve by setting each $\tilde{a}_j = c^j a_j$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

34.   A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n} a_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes an adjacent segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

35.   A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n} \frac{n!}{i!(n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$ that describes a segment of the curve into a function

of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\tilde{\mathbf{q}}_{j}$ that describes a different sized segment of the curve by setting each

$\tilde{\mathbf{q}}_{j}=\sum_{i=0}^{j}\frac{j!}{i!(j-i)!}c^{i}(1-c)^{j-i}\mathbf{q}_{i}$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

36. A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_{i}$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\tilde{\mathbf{q}}_{j}$ that describes an adjacent segment of the curve by setting each

$\tilde{\mathbf{q}}_{j}=\sum_{i=n-j}^{n}(-1)^{n-i}\binom{j}{n-i}2^{j-(n-i)}\mathbf{q}_{i}$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

37. A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n}\mathbf{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\widetilde{\mathbf{a}}_j t^j$ that describes a different sized segment of the curve by setting each $\widetilde{\mathbf{a}}_j = c^j \mathbf{a}_j$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

38.   A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n} a_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes an adjacent segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.